## INDIAN PHARMACOPOEIA COMMISSION



National Coordination Centre- Pharmacovigilance Programme of India (PvPI)
MINISTRY OF HEALTH & FAMILY WELFARE, GOVERNMENT OF INDIA
SECTOR-23, RAJ NAGAR, GHAZIABAD- 201 002.

Tel No: 0120- 2783392, 2783400, 2783401, Fax: 0120-2783311 e-mail: pvpi@ipcindia.net, pvpi.ipc@gov.in, Web: www.ipc.gov.in

## File No. IPC/NCC-PvPI/DSA/2016-17/05

**July 2016** 

## **Drug Safety Alert**

The preliminary analysis of SUSARs from the PvPI database reveals that the following drugs are associated with the risks as given below.

## **Table**

S.No	Suspected Drug	Indication	Adverse Reaction(s)
1	Febuxostat	For treatment of chronic hyperuricemia in conditions where urate deposition has already occurred (including a history, or presence of, tophus and/or gouty arthritis).	Allergic vasculitis
2	Oxcarbamazepine	Monotherapy or adjunctive therapy in the treatment of partial seizure, secondary generalized seizure, substitution for Carbamazepine can be made abruptly with an Oxcarbamazepine – to – Carbamazepine ratio of 300:200.	Syndrome of Inappropriate Antidiuretic Hormone secretion (SIADH).
3	Artemether & Lumefantrine	For treatment of uncomplicated falciparum malaria, mixed infections of falciparum and Chloroquine resistant vivax malaria.	Stevens- Johnson syndrome/Toxic epidermal necrolysis
4	Cefixime	Otitis media, respiratory tract infections, uncomplicated UTIs, effective against infections caused by Enterobacteriaceae, H.influenza species.	Acute generalised exanthematous pustulosis (AGEP)

Healthcare professionals, Patients/Consumers are advised to closely monitor the possibility of the above adverse reaction(s) while prescribing/consuming above suspected drugs and report to the NCC-PvPI either by filling of Suspected Adverse Drug Reactions Reporting Form/Medicines Side Effect Reporting Form for Consumer (http://www.ipc.gov.in) or by PvPI Helpline No. 1800-180-3024.